Freestanding Frame and C-Rail System 125kg-2000kg



C-RAIL WORKSTATION CRANE

FREESTANDING FRAME AND C-RAIL SYSTEM

Compatible Hoists



Pa lăng tương thích 1



Pa lăng tương thích 2



Pa lăng tương thích 3



Pa lăng tương thích 4



Pa lăng tương thích 5



Pa lăng tương thích 6



Pa lăng tương thích 7




Frame Without Cross Bracing



Frame With Cross Bracing



Double-Girder Frame for Maximum Hook Height



Ceiling-Suspended Rail

Modular cranes handle high-frequency material handling tasks.
It can be installed on a standard 15cm reinforced concrete floor and uses a standard modular structure that is easy to expand as your workstations grow.

FREESTANDING FRAME

Load Capacity (kg)	Model	Span (m)	Height (m)	Runway Length (m)
125	FS-JZ-L-125	2~7	2.5~4	Custom
250	FS-JZ-L-250			
500	FS-JZ-L-500			
1000	FS-JZ-L-1000			
2000	FS-JZ-L-2000			

* Actual dimensions are subject to the final product.

Contact us for consultation and a quotation

Vietnam factory: Workshop A1-1, VSIP Hai Phong, Nam Trieu Ward, Hai Phong City · +84 817 888 198
Taiwan factory: Zhongli District, Taoyuan City · +886 3-451-8806
Email: sales@fullsharp.com.vn · **Website:** www.fullsharp.com

Specifications may vary with the ordered configuration. Please contact FullSharp for exact details.