Front-Hoist Articulating Arm Jib Crane 100kg-500kg



FRONT-HOIST ARTICULATING ARM JIB CRANE



Compatible Hoists



Accessory 1



Accessory 2



Accessory 3



Accessory 4



Accessory 5



Accessory 6



Accessory 7

Max. load 500kg, reach up to 4 m


360° rotation with optional travel stops; moves easily by hand. Combined with the articulating arm, it covers a fan-shaped work area for more precise material handling.

Outstanding flexibility

The articulating arm moves in a controlled way and can perform complex tasks such as "lifting under low headroom" and "reaching far out" in confined spaces. Adjustable slewing resistance lets you tune how freely the arm moves.

Wide compatibility

Works with a wide range of electric hoists and smart electric balancing hoists (wire rope type).



Front articulating balancer arm dimension drawing

SPECIFICATIONS — ARTICULATING ARM

Articulating Arm						
Load Capacity	**Model**	**H**	**L**	**E**	**L2**	**L1**
100kg	FS-JZF100-2.5-3	2000	2.5000	ø245x10	1200	1300
	FS-JZF100-3-3	2000	3.0000	ø245x10	1400	1600
	FS-JZF100-3.5-3	2000	3.5000	ø273x10	1700	1800
	FS-JZF100-4-3	2000	4.0000	ø273x10	1800	2200
200kg	FS-JZF200-2.5-3	2000	2.5000	ø273x10	1200	1300
	FS-JZF200-3-3	2000	3.0000	ø273x10	1400	1600
	FS-JZF200-3.5-3	2000	3.5000	ø273x10	1700	1800
	FS-JZF200-4-3	2000	4.0000	ø273x10	1800	2200

Articulating Arm						
300kg	FS-JZF300-2.5-3	2000	2.5000	ø325x10	1200	1300
	FS-JZF300-3-3	2000	3.0000	ø325x10	1400	1600
	FS-JZF300-3.5-3	2000	3.5000	ø325x10	1700	1800
	FS-JZF300-4-3	2000	4.0000	ø325x10	1800	2200
500kg	FS-JZF500-2.5-3	2000	2.5000	ø325x10	1200	1300
	FS-JZF500-3-3	2000	3.0000	ø325x10	1400	1600
	FS-JZF500-3.5-3	2000	3.5000	ø325x10	1700	1800
	FS-JZF500-4-3	2000	4.0000	ø325x10	1800	2200

* Actual dimensions are subject to final confirmation.

Contact us for consultation and a quotation

Vietnam factory: Workshop A1-1, VSIP Hai Phong, Nam Trieu Ward, Hai Phong City · +84 817 888 198

Taiwan factory: Zhongli District, Taoyuan City · +886 3-451-8806

Email: sales@fullsharp.com.vn · **Website:** www.fullsharp.com

Specifications may vary with the ordered configuration. Please contact FullSharp for exact details.