

Hydraulic Roll Clamp Lifter













FullSharp roll lifter - View 1



FullSharp roll lifter - View 2



FullSharp roll lifter - View 3



FullSharp roll lifter - View 4

Product Description

- Precise clamping for efficient, easy handling.
- Simple, convenient operation with strong power.
- Stable performance and long service life.
- High load-bearing capacity and durability.

Basic Information

- **Model** FSCDD0516-Z-8
- **Type** Roll clamp lifter
- **Power** DC motor
- **Load capacity** 500-1000kg
- **Lift height** 1.6m-3m
- **Condition** New
- **Brake system** Electromagnetic brake
- **Certification** CE&ISO&TUV&GS
- **Advantages** Powerful and smooth
- **Rotation angle** 90°
- **Shipping packaging** Wooden pallet
- **Dimensions** 2000*850*2050mm

Package size

2500.00cm * 1650.00cm * 2000.00cm

Package weight

710.000kg

Specifications

Model	FSCDD051C6-Z	FSCD1016-Z	FSCDD0525-Z	FSCDD1025-Z	FSCDD1030-Z
Load capacity (kg)	500	1000	500	1000	1000
Max. lift height (mm)	1600	1600	2500	2500	3000
Battery (V/Ah)	24/165	24/165	24/210	24/210	24/210
Charger (V/A)	24/20	24/20	24/30	24/30	24/30
Weight (kg)	710	730	760	790	830
Overall dimensions (mm)	2500*1650*2000	2300*1450*2000	2100*1250*1780	2000*1050*1780	2000*850*2050
Lift motor (kw)	2.5	2.5	2.5	2.5	2.5
Drive motor (kw)	AC1.5	AC1.5	AC1.5	AC1.5	AC1.5
Gradeability (%)	4/6	4/6	4/6	4/6	4/6
Brake system	Electromagnetic brake				

Contact us for consultation and a quotation

Vietnam factory: Workshop A1-1, VSIP Hai Phong, Nam Trieu Ward, Hai Phong City · +84 817 888 198
Taiwan factory: Zhongli District, Taoyuan City · +886 3-451-8806
Email: sales@fullsharp.com.vn · **Website:** www.fullsharp.com

Specifications may vary with the ordered configuration. Please contact FullSharp for exact details.