Jib Crane



Aluminum jib crane (Jib Crane)



Aluminum column 1 – 250 kg jib crane

Aluminum jib crane – High performance, maximum flexibility

The Lifts All jib crane is made of **aluminum** – light yet strong. It is available in two mounting types: **column-mounted** or **wall-mounted**. The crane lifts and moves goods in a semicircular arc (**180° slewing**) around the column or pivot point, optimizing workflow and making the most of the available area.

Combining the crane with a **Bal-Trol** pneumatic hoist and a custom **gripper** creates a complete lifting system – lifting goods to nearby workstations or transferring products from trolleys to pallets, streamlining the whole process.

- **Load capacity** 80–500 kg
- **Reach** 2–6 m
- **Slewing angle** 180 degrees
- **Material** Aluminum

Features & benefits

Ergonomics & safety

- The crane carries the full weight of the load – less strain on the back, shoulders and arms.
- Clearly lower risk of injuries from repetitive lifting and fewer sick days.
- Anyone can operate it – no special physical strength required.
- Consistent positioning speed throughout the shift keeps productivity high.

Flexible & practical

- Lightweight aluminum structure – smooth travel and slewing with low friction.
- 180° slewing and a wide working area, with precise load positioning even in tight spaces.
- Fast installation thanks to pre-assembled components.
- Add compressed air / power supply and a gripper to integrate into existing lines.

Jib crane range

Jib Crane XS

The Jib Crane XS is a **compact, agile** aluminum jib crane developed for light lifting tasks in warehouses, machine shops and industrial environments. It installs easily on both walls and pillars and is quick to put into service. For added stability and capacity, the crane comes in two bracing configurations: **single brace** for lighter models and **double brace** for higher capacity or longer reach. Length can be customized on request.

Max load	80 / 100 / 125 kg
Length	2 / 2.5 / 3 / 3.5 / 4 m
Weight	41.74 – 58.54 kg
Bracing	Single brace or double brace
Slewing angle	180°
Material	Aluminum
Sold separately	Pillar, Bal-Trol & gripper

Aluminum Jib Crane

Our aluminum jib crane can lift most objects and supports heavy lifting in warehouses and industrial environments. Although it lifts up to **500 kg**, the crane remains relatively light thanks to its strong aluminum structure – for smooth, flexible handling. Installation is quick thanks to pre-assembled components; it can be wall-mounted or column-mounted depending on the load-bearing capacity of the structure.

Max load	125 / 250 / 500 kg
Length	2 / 2.5 / 3 / 3.5 / 4 / 4.5 / 5 / 5.5 / 6 m
Weight	30 – 151 kg (depending on configuration)
Slewing angle	180°
Mounting	Wall-mounted or column-mounted
Material	Aluminum
Sold separately	Pillar, Bal-Trol & gripper

Build a complete lifting system

Crane + Bal-Trol + gripper = a turnkey solution

The jib crane on its own is only the load-bearing structure. For a **complete ergonomic lifting system**, add a **Bal-Trol** pneumatic hoist (which makes the load "weightless") and a **gripper** suited to your goods.

Note: **the pillar, Bal-Trol hoist and gripper are sold separately**. FULLSHARP will recommend the optimal configuration based on load, lifting height, type of goods and your facility layout.

FULL-SHARP AUTOMATIZED VN (FULLSHARP)
Authorized distributor of Lifts All AB (Sweden) lifting equipment in Vietnam
For advice on crane selection and system configuration and an official quotation, please contact a FULLSHARP representative.

Contact us for consultation and a quotation

Vietnam factory: Workshop A1-1, VSIP Hai Phong, Nam Trieu Ward, Hai Phong City · +84 817 888 198
Taiwan factory: Zhongli District, Taoyuan City · +886 3-451-8806
Email: sales@fullsharp.com.vn · **Website:** www.fullsharp.com

Specifications may vary with the ordered configuration. Please contact FullSharp for exact details.