Manual Push Mobile Gantry Crane 125kg-2000kg



MANUAL PUSH MOBILE GANTRY CRANE



Manual Push Mobile Gantry Crane – Main Image

Compatible Hoists



Pa lăng tương thích 1



Pa lăng tương thích 2



Pa lăng tương thích 3



Pa lăng tương thích 4



Pa lăng tương thích 5



Pa lăng tương thích 6



Pa lăng tương thích 7

Gantry cranes come in two versions, height-adjustable and fixed-height, offering a cost-effective material handling solution.
The main structure consists of vertical square tubes, diagonal braces and U-channel steel base beams for stable, reliable lifting and handling.

PRODUCT FEATURES — Product features

- Maximum load capacity **2000kg**, maximum span **9 m**, maximum frame height **6 m**.
- Wear-resistant **polyurethane** wheels with low rolling resistance for effortless movement.
- The main beam is bolted vertically to ensure it cannot slip out.

GANTRY CRANE MODELS AND DIMENSIONS

Load Capacity (kg)	Model	Height (m)
125	FS-JZ-G-125	2~6
250	FS-JZ-G-250	
500	FS-JZ-G-500	
1000	FS-JZ-G-1000	
2000	FS-JZ-G-2000	

* Actual dimensions are subject to the final product.

Contact us for consultation and a quotation

Vietnam factory: Workshop A1-1, VSIP Hai Phong, Nam Trieu Ward, Hai Phong City · +84 817 888 198

Taiwan factory: Zhongli District, Taoyuan City · +886 3-451-8806

Email: sales@fullsharp.com.vn · **Website:** www.fullsharp.com

Specifications may vary with the ordered configuration. Please contact FullSharp for exact details.