Mobile-Base Articulating Arm Jib Crane 100kg-300kg



FOLDING JIB CRANE



Máy Pa Lăng Tương Thích



Compatible Hoists

MOBILE-BASE ARTICULATING ARM JIB CRANE

Up to 300kg load capacity, reach up to 4 m


Rotates **360°**, accepts optional travel-limit stops and moves easily by hand. It can be combined with an articulating arm to cover a fan-shaped working area for more precise material handling.

Flexible, efficient material handling

A wider working range and greater flexibility let it move freely in tight spaces and reach any point in the work area, significantly improving handling efficiency and convenience.

Wide range of applications

Suitable for many industries, including but not limited to construction machinery, electronics manufacturing, machining and metalworking, and automotive parts.



Folding-boom crane dimension drawing

SPECIFICATIONS — MOBILE-BASE ARTICULATING ARM JIB CRANE

Mobile Rear-Balanced Articulating Jib						
Load Capacity	**Model**	**H**	**L**	**E**	**L2**	**L1**
100kg	FS-JZD100-2.5-3	2000	2.5000	ø245x10	1200	1300
	FS-JZD100-3-3	2000	3.0000	ø245x10	1400	1600
	FS-JZD100-3.5-3	2000	3.5000	ø273x10	1700	1800
	FS-JZD100-4-3	2000	4.0000	ø273x10	1800	2200
200kg	FS-JZD200-2.5-3	2000	2.5000	ø273x10	1200	1300
	FS-JZD200-3-3	2000	3.0000	ø273x10	1400	1600
	FS-JZD200-3.5-3	2000	3.5000	ø273x10	1700	1800
	FS-JZD200-4-3	2000	4.0000	ø273x10	1800	2200
300kg	FS-JZD300-2.5-3	2000	2.5000	ø325x10	1200	1300
	FS-JZD300-3-3	2000	3.0000	ø325x10	1400	1600
	FS-JZD300-3.5-3	2000	3.5000	ø325x10	1700	1800
	FS-JZD300-4-3	2000	4.0000	ø325x10	1800	2200

* Actual dimensions are subject to the final product.

Contact us for consultation and a quotation

Vietnam factory: Workshop A1-1, VSIP Hai Phong, Nam Trieu Ward, Hai Phong City · +84 817 888 198
Taiwan factory: Zhongli District, Taoyuan City · +886 3-451-8806
Email: sales@fullsharp.com.vn · **Website:** www.fullsharp.com

Specifications may vary with the ordered configuration. Please contact FullSharp for exact details.